
CONVENIENT CITYWIDE CONNECTIVITY









Ibraco Berhad No. 6, The NorthBank Off Kuching-Samarahan Expressway 93350 Kuching, Sarawak. F +60 82 362 233 E sales@ibraco.com

FOR MORE INFORMATION 082-361 111







3-STOREY SHOPLOTS



The Heart **OF EXCITEMENT**







Space for _____COMMUNITIES TO FLOURISH

As an important part of an integrated township—consisting of healthcare, offices, leisure, and other exciting amenities—The Atrium has a lot to offer which add colour and vibrancy to the area. 39 units of three-storey shops will be home to a generous mix of products and services, where patrons may experience leisure and convenience, close to home.





3-Storey

Part of an

Integrated

City



Single Frontage Shops **25 units**



Double Frontage Shops 14 units







Jibrant LIVING

Discover a wonderful new world of life-enriching delights. The Atrium provides a generous selection of retail outlets, housing a fantastic mix of the latest brands and trends. Whether it's shopping or dining, this is a great place to relax and indulge in the things that make you happy.



SITE PLAN

DOUBLE FRONTAGE SINGLE FRONTAGE TYPE A TYPE D INTERMEDIATE UNIT INTERMEDIATE UNIT TYPE B TYPE E CORNER UNIT CORNER UNIT TYPE C TYPE F CORNER UNIT CORNER UNIT Everything about the layout of these

shop lots is aimed at presenting the most intuitive experience for visitors and patrons. Additionally, the single and double frontage shops add more flexibility to shop owners to prepare the most suitable space for their business needs.





Planned To PERFECTION



TYPICAL FLOOR PLAN

TYPE SINGLE FRONTAGE

TYPE A Intermediate


GROSS FLOOR AREA: 3,986 sqft


Unit


LEVEL 1 From 1,188 sqft LEVEL 2 From 1,398 sqft

From 1,398 sqft

LEVEL 3










TYPE B Corner Unit

GROSS FLOOR AREA: 4,632 sqft

LEVEL 1 From 1,188 sqft LEVEL 2 From 1,721 sqft LEVEL 3 From 1,721 sqft







SPECIFICATIONS

STRUCTURE	Reinforced concrete framework/ clay brick wall
ROOF	Metal Roofing
CEILING	Reinforced Concrete Slab Ceiling for Level 1 and 2
	Level 3 - Plaster ceiling
	Toilets - Moisture Resistance ceiling
WINDOWS	Aluminum-framed glass windows
DOORS	Aluminum roller shutter to Level 1, shop front, rear and side where applicable
	Fire rated main door to Level 2 and Level 3
	Timber flush doors to toilets
FLOOR FINISHES	Cement Render to all areas except toilets
	Quality Floor Tiles to Five Foot Way, Toilets & Pre-toilets area


WALL FINISHES	Ceramic wall tiles for toilets
	Weather Shield Paint to external walls
	Emulsion Paint to internal walls
PLUMBING	Concealed plumbing, water closet and wash basin
ELECTRICAL	Generally concealed wiring, switches and socket points
STAIRCASE RAILING	Painted mild steel railing


TYPE DOUBLE FRONTAGE


TYPE D Intermediate Unit

GROSS FLOOR AREA: 4,259 sqft

LEVEL 1 From 1,209 sqft LEVEL 2 From 1,524 sqft LEVEL 3 From 1,524 sqft










TYPE E Corner Unit

GROSS FLOOR AREA: 4,962 sqft

LEVEL 1 From 1,209 sqft LEVEL 2 From 1,876 sqft LEVEL 3 From 1,876 sqft







SITE PLAN

SINGLE FRONTAGE

TYPE A
INTERMEDIATE UNIT

CORNER UNIT

TYPE C

DOUBLE FRONTAGE

TYPE D
INTERMEDIATE UNIT

TYPE E

TYPE F

